


LED

EXTERIOR

WALL LIGHTS





● **ODL007**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm




● **ODL008**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm




● **ODL009**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm




● **ODL010**

material: aluminium
CREE LED 3W / WW
Ra90 / 170lm
excl. power supply
IP44 / class I II / CE
anodized silver
cut-out dia 46mm










● LWA173A

material: aluminium
 COB LED 5W / WW
 Ra85 / 500lm/38°
 incl. power supply
 IP44 / class I / 
 anodized black
 3000k/4000k/6000k




● LWA174A

material: aluminium
 COB LED 10W / WW
 Ra85 / 1000lm/38°
 incl. power supply
 IP44 / class I / 
 anodized black
 3000k/4000k/6000k



● **LWA210**

material: aluminium
solid acrylic diffuser
COB LED 5W / WW
Ra85 / 500lm
incl. power supply
IP44 / class I / **CE**
anodized black
3000k/4000k/6000k



● **LWA211**


material: aluminium
solid acrylic diffuser
COB LED 5W / WW
Ra85 / 500lm
incl. power supply
IP44 / class I / **CE**
anodized black
3000k/4000k/6000k






● **LWA215**


material: aluminium
 COB LED 5W / WW
 Ra85 / 500lm/38°
 incl. power supply
 IP44 / class I / CE
 anodized black
 3000k/4000k/6000k



● **LWA216**


material: aluminium
 COB LED 2X5W / WW
 Ra85 / 1000lm/38°
 incl. power supply
 IP44 / class I / CE
 anodized black
 3000k/4000k/6000k







● **LWA217**

material: aluminium
COB LED 9W / WW
Ra85 / 900lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k



● **LWA218**

material: aluminium
COB LED 2X9W / WW
Ra85 / 1800lm/38°
incl. power supply
IP44 / class I / 
anodized black
3000k/4000k/6000k



● LWA135


material: aluminium
CREE LED 3W / WW
Ra85 / 170lm
incl. power supply
IP44 / class I / CE
anodized black
acrylic shade
3000k/4000k/6000k






LED EXTERIOR GROUND






● **ODL020**

material: stainless steel
 LED 1W / WW
 Ra85/ 100lm/30 °
 excl. power supply
 IP67 / class III/CE
 stainless steel 316 cover
 cooper lamp body
 cut-out dia 28mm




● **ODL024**

material: stainless steel
 LED 3W / WW
 Ra90/ 170lm/30 °
 excl. power supply
 IP67 / class III/CE
 stainless steel 316 cover
 cooper lamp body
 cut-out dia 35mm



● **ODL001**

material: aluminium
 LED 3W / WW
 Ra85/ 170lm/30 °
 excl. power supply
 IP67 / class III/CE
 cut-out dia 42mm




● **ODL028**

material: aluminium
 stainless steel 316 cover
 COB LED 5W / WW
 Ra85 / 500lm/38°
 excl. power supply
 IP67 / class III / **CE**
 cut-off Dia70X120mm
 3000k/4000k/6000k



● **ODL029**

material: aluminium
 stainless steel 316 cover
 COB LED 9W / WW
 Ra85 / 900lm/38°
 excl. power supply
 IP67 / class III / **CE**
 cut-off Dia90X130mm
 3000k/4000k/6000k




● **ODL030**

material: aluminium
 stainless steel 316 cover
 COB LED 13W / WW
 Ra85 / 1300lm/38°
 excl. power supply
 IP67 / class III / **CE**
 cut-off Dia110X140mm
 3000k/4000k/6000k



● **ODL025**




material: aluminium
stainless steel 316 cover
CREE LED 3W / WW
Ra85 / 170lm
excl. power supply
IP67 / class III / **CE**
cut-off Dia50X100mm
3000k/4000k/6000k

● **ODL026**




material: aluminium
stainless steel 316 cover
CREE LED 3W / WW
Ra85 / 170lm
excl. power supply
IP67 / class III / **CE**
cut-off Dia50X100mm
3000k/4000k/6000k

● **ODL027**




material: aluminium
stainless steel 316 cover
CREE LED 3W / WW
Ra85 / 170lm
excl. power supply
IP67 / class III / **CE**
cut-off Dia50X100mm
3000k/4000k/6000k




● **LSP155**

material: aluminium
 COB LED 5W / WW
 Ra85 / 500lm/38°
 excl. power supply
 IP67 / class III / CE
 anodized black
 3000k/4000k/6000k



● **LSP156**

material: aluminium
 COB LED 9W / WW
 Ra85 / 900lm/38°
 excl. power supply
 IP67 / class III / CE
 anodized black
 3000k/4000k/6000k



● **LSP157**

material: aluminium
 COB LED 13W / WW
 Ra85 / 1300lm/38°
 excl. power supply
 IP67 / class III / CE
 anodized black
 3000k/4000k/6000k

LED BASIC LIGHTS

TUBES
STRIPS
BULBS



T8 LED Integrative Bracket

Order code	Length	Chips	Qty.chips	Watt	Lumens	Input voltage
LTB001-06	0.6M	2835	48pcs	9W	1008lm	185-265V
LTB001-09	0.9M	2835	72pcs	14W	1512lm	185-265V
LTB001-12	1.2M	2835	96pcs	18W	2016lm	185-265V

T8 LED Tube

Order code	Length	Chips	Qty.chips	Watt	Lumens	Input voltage
LTB004-06	0.6M	2835	48pcs	9W	1008lm	185-265V
LTB004-09	0.9M	2835	72pcs	14W	1512lm	185-265V
LTB004-12	1.2M	2835	96pcs	18W	2016lm	185-265V





T5 LED Integrative Bracket

Order code	Length	Chips	Qty.chips	Watt	Lumens	Input voltage
LTB003-06	0.6M	2835	48pcs	9W	1008lm	185-265V
LTB003-09	0.9M	2835	72pcs	14W	1512lm	185-265V
LTB003-12	1.2M	2835	96pcs	18W	2016lm	185-265V


T8 LED Separable Bracket

Order code	Length	Chips	Qty.chips	Watt	Lumens	Input voltage
LTB002-06	0.6M	2835	48pcs	9W	1008lm	185-265V
LTB002-09	0.9M	2835	72pcs	14W	1512lm	185-265V
LTB002-12	1.2M	2835	96pcs	18W	2016lm	185-265V



LED BASIC LIGHT

LED STRIPS




LTP001
Ip20 for indoor use
Cut every three chips
cool white, warm white, neutral white
red, green, blue, yellow available
12V power-supply



LTP002
Ip43 for outdoor use
transparent silicon coated
Cut every three chips
cool white, warm white, neutral white
red, green, blue, yellow available
12V power-supply

Order code	Size	Chips	Qty.chips/M	Watt/M	Lumens	Color available	Input voltage	Length per rope	IP RATING
LTP001	10mm	5050	60pcs	15W	720lm	ww/cw/nw/R/Y/B/G	12V	5 meter	Ip20
LTP002	10mm	5050	60pcs	15W	720lm	ww/cw/nw/R/Y/B/G	12V	5 meter	IP43





*High lumen output
LED bulb*

■ **LAM101-E27**

LED 2.5W / WW
Ra90 / 270lm
incl. power supply
220V direct input
IP20 / cē
E27 lamp holder
Ceramic base
3000K/4000K/6000K

■ **LAM101-E14**

E14 lamp holder



■ **LAM102-E27**

LED 2.5W / WW
Ra90 / 270lm
incl. power supply
220V direct input
IP20 / cē
E27 lamp holder
Ceramic base
3000K/4000K/6000K

■ **LAM102-E14**

E14 lamp holder



■ **LAM103-E27**

LED 4W / WW
Ra90 / 470lm
incl. power supply
220V direct input
IP20 / cē
E27 lamp holder
Ceramic base
3000K/4000K/6000K

■ **LAM103-E14**

E14 lamp holder



■ **LAM104-GU10**

LED COB 3W / WW
Ra80 /270lm/60°
incl. power supply
220V direct input
IP20 / €
GU10 lamp holder
Aluminium base
3000K/4000K/6000K

■ **LAM104-MR16**

G5.3 lamp holder
12V input



■ **LAM106-GU10**

LED COB 3W / WW
Ra80 /270lm/30°
incl. power supply
220V direct input
IP20 / €
GU10 lamp holder
Aluminium base
3000K/4000K/6000K

■ **LAM106-MR16**

G5.3 lamp holder
12V input



■ *LAM107-GU10*

LED CREE 3W / WW
Ra90 /336lm/30°
incl. power supply
220V direct input
IP20 / ϵ
GU10 lamp holder
Aluminium base
3000K/4000K/6000K

■ *LAM107-MR16*

G5.3 lamp holder
12V input



■ *LAM108-E27*

LED CREE 3W / WW
Ra90 /336lm/30°
incl. power supply
220V direct input
IP20 / ϵ
E27 lamp holder
Aluminium base
3000K/4000K/6000K



HALOGEN DECORATIVE LIGHTS




● 8078B

material: aluminium
220V G5,3 50W
IP20 / class II / CE
anodized silver

HALOGEN LAMP



● 8001M/4B


material: aluminium
220V G5,3 50W
IP20 / class II / 
anodized silver




● **8001M/8B**


material: aluminium
220V G5.3 50W
IP20 / class II / **CE**
anodized silver







● 8001L/4B

material: aluminium
220V G5.3 50W
IP20 / class II / 
anodized silver



- 8001L/8B
material: aluminium
220V G5.3 50W
IP20 / class II / 
anodized silver






● 8004


material: aluminium
220V G5.3 50W
IP20 / class II / **CE**
anodized silver






● 8022C

material: aluminium
220V G5.3 50W
IP20 / class II / **CE**
anodized silver




HALOGEN LAMP



● 8004L

material: aluminium
220V G5.3 50W
IP20 / class II / CE
anodized silver





55

—140—


● 8022L

material: aluminium
220V G5.3 50W
IP20 / class II / CE
anodized silver




HALOGEN SPOT LIGHTS





HALOGEN LAMP



● 8021/1

material: aluminium
12V MR16 35W
incl. transformer 50W
IP20 / class I / CE
anodized silver





85


120

● 8088-SL

material: aluminium
12V MR16 35W
incl. transformer 50W
IP20 / class I / **CE**
anodized silver


● 8088-BK

material: aluminium
12V MR16 35W
incl. transformer 50W
IP20 / class I / **CE**
anodized black



● 8107

material : aluminium
12V MR16 35W
incl.transfomer 50W
IP20 / class I / **CE**
anodized silver





● SP001

material : aluminium
12V MR16 35W
incl.transfomer 50W
IP20 / class I / **CE**
anodized silver




HALOGEN WALL SURFACE




● 8053


material: aluminium
12V G4 35W
incl. transformer 50W
IP20 / class I / CE
anodized silver








● 8019A

material: aluminium
12V MR11 35W
incl. transformer 50W
IP20 / class I / 
anodized silver



● 8020


material: aluminium
2pcs 12V G4 20W
incl.transfomer 50W
IP20 / class I /  
anodized silver





● 9003-1


material: aluminium
 12V MR11 35W
 incl. transformer 50W
 IP20 / class I / CE
 anodized silver


● 8019B

material: aluminium
12V MR11 35W
incl.transfomer 50W
IP20 / class I / 
anodized silver







- LWA145
- material: aluminium
- Gu10 50W
- IP20 / class I / 
- black painting





● **LWA146**

material: aluminium
Gu10 2X50W
IP20 / class I / 
black painting


HALOGEN CEILING SURFACE








- **C006-GU10**
material: aluminium
Gu10 50W
IP20 / class I / 
anodized silver



- **C007-GU10**
material: aluminium
Gu10 50W
IP20 / class I / 
anodized silver





- **C008-GU10**
material: aluminium
Gu10 50W
IP20 / class I / 
anodized silver




● **LBL086**
material: aluminium
Gu10 50W
IP20 / class I / 
black painting



● **C003**
material: aluminium
Gu10 50W
IP20 / class I / 
anodized silver




● **C003SB-SL**
material: aluminium
Gu10 50W
IP20 / class I / 
anodized silver

● **C003SB-BK**
anodized black




● **BL001**

material: aluminium
Gu10 50W
IP20 / class I / 
white painting
meas: 90X90X100MM




● **BL002**

material: aluminium
Gu10 2X50W
IP20 / class I / 
white painting
meas: 90X180X100MM




● **BL003**

material: aluminium
Gu10 3X50W
IP20 / class I / 
white painting
meas: 90X270X100MM


HALOGEN PENDENTS



HALOGEN LAMP



● 8139-BK

material: aluminium
12V MR16 35W
incl. transformer 50W
IP20 / class I / 
anodized black




● 8147


material: aluminium
12V MR16 35W
incl. transformer 50W
IP20 / class I / CE
anodized silver and black

AR111 LAMP SERIES







- **LSP128-BK**
material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
painted black
bulb easy change



- **LSP129-BK**
material: aluminium
Ar111 2x35W
incl. transformer
IP20 / class I / CE
painted black
bulb easy change




- **LSP130-BK**
material: aluminium
Ar111 3x35W
incl. transformer
IP20 / class I / CE
painted black
bulb easy change




● *LSP130-WT*

material: aluminium
 Ar111 3x35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




● *LSP129-WT*

material: aluminium
 Ar111 2x35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




● *LSP128-WT*


material: aluminium
 Ar111 35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change



- **LSP128-SL**
material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change




- **LSP129-SL**
material: aluminium
Ar111 2x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change



- **LSP130-SL**
material: aluminium
Ar111 3x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change




● *LSP131-SL*



material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change




● *LSP132-SL*



material: aluminium
Ar111 2x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change




● *LSP133-SL*




material: aluminium
Ar111 3x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change







- **SP011-WT**
 material: aluminium
 Ar111 35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change



- **SP012-WT**
 material: aluminium
 Ar111 2x35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




- **SP013-WT**
 material: aluminium
 Ar111 3x35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




● **LSP126-SL**

material: aluminium
 Ar111 35W
 incl. transformer
 IP20 / class I / CE
 anodized silver
 bulb easy change




● **LSP127-SL**

material: aluminium
 Ar111 2x35W
 incl. transformer
 IP20 / class I / CE
 anodized silver
 bulb easy change




● *LSP127-WT*

material: aluminium
 Ar111 2x35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




● *LSP126-WT*

material: aluminium
 Ar111 35W
 incl. transformer
 IP20 / class I / CE
 painted white
 bulb easy change




● **LDC975**

material: aluminium
Ar111 35W
excl. transformer
IP20 / class III/ **CE**
painted white
bulb easy change
cut-off 162X162mm



● **LDC976**

material: aluminium
Ar111 2X35W
excl. transformer
IP20 / class III/ **CE**
painted white
bulb easy change
cut-off 334X162mm



● **LDC975**

material: aluminium
Ar111 3X35W
excl. transformer
IP20 / class III/ **CE**
painted white
bulb easy change
cut-off 492X162mm



● *LBL006-WT*

material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
painted white
bulb easy change
size 140X140X120mm

Remark: lamp source in picture
is philips Ar111 LED 10W,
in production is halogen
Ar111 35W bulb




● *LBL006-BK*

material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
painted black
bulb easy change
size 140X140X120mm



● *LBL087-BK*

material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / CE
painted black
bulb easy change
size Dia120X145mm



● **LWA147**


material: aluminium
Ar111 35W
incl. transformer
IP20 / class I / **CE**
painted black
bulb easy change

Remark: lamp source in picture
is philips Ar111 LED 10W,
in production is halogen
Ar111 35W bulb




● **LWA148**

material: aluminium
Ar111 2x35W
incl. transformer
IP20 / class I / **CE**
painted black
bulb easy change




Remark: lamp source in picture
is philips Ar111 LED 10W,
in production is halogen
Ar111 35W bulb






● **LPL178**

material: aluminium
Ar111 3x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change



● **LPL179**

material: aluminium
Ar111 4x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change



● **LPL180**

material: aluminium
Ar111 5x35W
incl. transformer
IP20 / class I / CE
anodized silver
bulb easy change



● *Sp031*

material: aluminium
Ar111 2x35W
incl. transformer
IP20 / class I / CE
painted white
bulb easy change

● *Sp032*


material: aluminium
Ar111 3x35W
incl. transformer
IP20 / class I / CE
painted white
bulb easy change

● *Sp033*

material: aluminium
Ar111 4x35W
incl. transformer
IP20 / class I / CE
painted white
bulb easy change

● *Sp034*

material: aluminium
Ar111 4x35W
incl. transformer
IP20 / class I / CE
painted white
bulb easy change








PHOTOMETRICS


■ Lamping: COB 5W / 3000K / 10V 500mA/38 degree reflector

Applied for :LWA187/LWA188/LPL119/LPL156/LPL157/LBL052/LBL118/LBL049/LBL132/LBL125/LSP111
LSP114/LSP115/LSP134/LDC926/LDC955/ODL028/

Intensity Distribution curve




illuminance in different lighting distance




■ Lamping: COB 9W / 3000K / 20V 450mA/38 degree reflector

Applied for :LPL120/LBL053/LBL119/LBL112/LBL050/LBL127/LSP112/LSP118/LDC927/LDC958/ODL029

Intensity Distribution curve




illuminance in different lighting distance




■ Lamping: COB 13W / 3000K / 20V 650mA/38 degree reflector

Applied for :LPL186/LBL120/LBL111/LBL134/LBL129/LSP113/LSP120/LSP135/LDC928/LDC961/ODL030

Intensity Distribution curve




illuminance in different lighting distance




■ Lamping: CREE XPE 1X3W / 6000K / 700mA/30 degree Lens

Applied for :LWA067/LWA067B/LWA070/LWA070B/LWA061/HL012/LPL045/LPL002/LPL042/LPL043/LBL001/LSP9011
LDC001A/LDC001/LDC005A/LDC006A/ODL001



Intensity Distribution curve





illuminance in different lighting distance





- Lamping: CREE XPE-Q3 / 3000K / 6X2W / 600mA/30 degree lens
Applied for :LSP151/LPL139/LBL074





- Lamping: CREE XPE-Q3 / 3000K / 5x3W / 700mA/30 degree lens
Applied for :LSP146




- Lamping: CREE XPE-R2 / 6000K / 9X3W / 700mA/30 degree lens
Applied for :LBL083/LBL084/LPL147/LPL148



- Lamping: CREE XPE-Q3 / 3000K / 2X5x3W / 700mA/30 degree lens
Applied for :LSP147




■ Lamping: CREE XPE-Q3 / 3000K / 6x3W / 700mA/30 degree lens
Applied for :LSP103/LSP104/LBL080/LDC923



iluminance in different lighting distance

distance (m)	illuminance (lx)	diameter (m)
0.5	10761.39	0.195
1.0	2690.35	0.391
1.5	1195.71	0.586
2.0	672.59	0.781
2.5	430.46	0.976
3.0	298.93	1.172


■ Lamping: CREE XBD-R2 / 6000K / 2X3W / 700mA/acrylic diffuser
Applied for :LDC858A/LDC858B



iluminance in different lighting distance

distance (m)	illuminance (lx)	diameter (m)
0.5	356.84	0.763
1.0	89.21	1.526
1.5	39.65	2.290
2.0	22.30	3.053
2.5	14.27	3.816
3.0	9.91	4.579


■ Lamping: CREE XPE-Q3 / 3000K / 2X6X3W / 700mA/30 degree lens
Applied for :LSP105/LBL081/LDC924



iluminance in different lighting distance

distance (m)	illuminance (lx)	diameter (m)
0.5	14272.30	0.227
1.0	3568.07	0.454
1.5	1585.81	0.682
2.0	892.02	0.909
2.5	570.89	1.136
3.0	396.45	1.363



■ Lamping: CREE XBD-R2 / 6000K / 3X3W / 700mA/acrylic diffuser
Applied for :LDC859A/LDC859B





iluminance in different lighting distance

distance (m)	illuminance (lx)	diameter (m)
0.5	624.42	0.795
1.0	156.10	1.591
1.5	69.38	2.386
2.0	39.03	3.182
2.5	24.98	3.977
3.0	17.34	4.773



- Lamping: CREE XPE-R2 / 6000K / 3X1W / 350mA/30 degree
Applied for :LPL149/LBL054/LBL095/LBL096/LDC898-LDC906





- Lamping: CREE XBD-R2 / 6000K / 7X3W / 700mA/acrylic diffuser
Applied for :LDC861A/LDC861B



- Lamping: CREE XBD-R2 / 6000K / 5X3W / 700mA/acrylic diffuser
Applied for :LDC860A/LDC860B



- Lamping: CREE XBD-R2 / 6000K / 8X3W / 700mA/acrylic diffuser
Applied for :LDC862A/LDC862B





HONGKONG PASSUN LIGHTING
INTERNATIONAL LIMITED

RMS 1318-19
HOLLYWOOD PLAZA
610 NATHAN RD MONGKOK
KOWLOON HONGKONG

ZHONGSHAN PASSUN
LIGHTING FACTORY

SHOWROOM

NO.107,Yingxin lighting plaza,
No.2,Hexing Rd,Guzhen Town,
Zhongshan City,China
T.86-760-86906196/22340039
www.passun.cn

<http://passunlight.en.alibaba.com>
passun-light@vip.163.com

香港博森照明国际有限公司

九龙旺角弥敦道610号
荷里活广场1318-19室

中山古镇帕缙照明厂

展厅：古镇和兴路2号盈新灯饰城
107号（中国电信对面）

电话:0760-22340039

QQ:630973489